



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 3637

EPA Website Link: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=33514&SYSUID=1&LICID=3637>

Licensee: Whitehaven Coal Mining Limited

Licensee Address: Boggabri Road, Gunnedah NSW 2380

EPL Monitoring Points: See Figure 1 below

Sampling Period: September 2016

Obtained Date: 10th October 2016

Publication Date: 17th October 2016

Table 1 - No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
3	Solid Particles	g/m ² /month	Continuous	1	19/09/16	27/09/16	-	-	-	1.2
5	PM ₁₀	µg/m ³	Every 6 days	5	Various	10/10/16	6.3	13.0	7.2	32.7
11	PM ₁₀	µg/m ³	Every 6 days	0	-	-	-	-	-	-
12	PM ₁₀	µg/m ³	Every 6 days	5	Various	10/10/16	5.1	8.9	8.2	14.6
6	Conductivity	ms/cm	Each overflow event	1	15/09/16	21/09/16	-	-	-	721
	Oil and Grease	mg/L		1	15/09/16	21/09/16	-	-	-	<5
	Total Organic Carbon	mg/L		1	15/09/16	21/09/16	-	-	-	14
	Total Suspended Solids	mg/L		1	15/09/16	21/09/16	-	-	-	94
	pH	pH		1	15/09/16	21/09/16	-	-	-	7.4
7	Conductivity	ms/cm	Quarterly	0	-	-	-	-	-	-
	Oil and Grease	mg/L		0	-	-	-	-	-	-
	Total Organic Carbon	mg/L		0	-	-	-	-	-	-
	Total Suspended Solids	mg/L		0	-	-	-	-	-	-



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
	pH	pH		0	-	-	-	-	-	-

Table 2 – Groundwater Monitoring (Quarterly – No Limits apply)

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
8	Ammonia	mg/L	Quarterly	0	-	-	-	-	-	-
	Bicarbonate	mg/L					-	-	-	-
	Calcium	mg/L					-	-	-	-
	Chloride	mg/L					-	-	-	-
	Conductivity	µs/cm					-	-	-	-
	Lead	mg/L					-	-	-	-
	Magnesium	mg/L					-	-	-	-
	Nitrate	mg/L					-	-	-	-
	Potassium	mg/L					-	-	-	-
	Sodium	mg/L					-	-	-	-
	Standing Water Level	m					-	-	-	-
	Sulphate	mg/L					-	-	-	-
pH	pH	-	-	-	-					
9	Ammonia	mg/L	Quarterly	0	-	-	-	-	-	-
	Bicarbonate	mg/L					-	-	-	-
	Calcium	mg/L					-	-	-	-
	Chloride	mg/L					-	-	-	-



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
	Conductivity	µs/cm					-	-	-	-
	Lead	mg/L					-	-	-	-
	Magnesium	mg/L					-	-	-	-
	Nitrate	mg/L					-	-	-	-
	Potassium	mg/L					-	-	-	-
	Sodium	mg/L					-	-	-	-
	Standing Water Level	m					-	-	-	-
	Sulphate	mg/L					-	-	-	-
	pH	pH					-	-	-	-
10	Ammonia	mg/L	Quarterly	0	-	-	-	-	-	-
	Bicarbonate	mg/L					-	-	-	-
	Calcium	mg/L					-	-	-	-
	Chloride	mg/L					-	-	-	-
	Conductivity	µs/cm					-	-	-	-
	Lead	mg/L					-	-	-	-
	Magnesium	mg/L					-	-	-	-
	Nitrate	mg/L					-	-	-	-
	Potassium	mg/L					-	-	-	-
	Sodium	mg/L					-	-	-	-
	Standing Water Level	m					-	-	-	-
	Sulphate	mg/L					-	-	-	-
pH	pH	-	-	-	-					



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Table 3 – Monitoring (Quarterly Noise – Limits Apply)

EPL ID	Date	Start Time	Measurement Period	Measured levels – All sources – dB(A)		Limit(s)	Weather (wind speed/direction)	Observations	(Potential) Non-compliance /breach
				L _{A1, 1} Minute	L _{Aeq, 15} Minute				
N1	7/09/16	9:28 am	15 min	-	39	35	2.4m/s, 87°	CHPP noise level 25dB(A)	No
	7/09/16	9:40 pm	15 min	-	41	35	1.9m/s, 109°	CHPP noise level 23dB(A)	
	7/09/16	10:07pm	15 min	-	36	35	1.6m/s, 112°	CHPP noise level 23dB(A)	
	7/09/16	10:07 pm	1 min	36	-	45	1.6m/s, 112°	CHPP noise level 26dB(A)	

WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Figure 1 – EPL 3637 Monitoring Locations

