



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 3637

EPA Website Link: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=33514&SYSUID=1&LICID=3637>

Licensee: Whitehaven Coal Mining Limited

Licensee Address: Boggabri Road, Gunnedah NSW 2380

EPL Monitoring Points: See Figure 1 below

Sampling Period: June 2015

Publication Date: 21st July 2015

Table 1 - No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
3	Solid Particles	g/m ² /month	Continuous	Various	17/06/2015	23/06/2015	-	-	-	0.7
5	Solid Particles	g/m ² /month	Continuous	Various	17/06/2015	23/06/2015	-	-	-	6.1
	PM ₁₀	µg/m ³	Every 6 days	5	Various	16/06/2015	5.3	15.6	10.3	28.7
11	PM ₁₀	µg/m ³	Every 6 days	5	Various	16/06/2015	6.9	12.74	10.3	20.7
12	PM ₁₀	µg/m ³	Every 6 days	5	Various	16/06/2015	7.4	12.34	7.6	21.1
6	Conductivity	ms/cm	Each overflow event	0	-	-	-	-	-	-
	Oil and Grease	mg/L		0	-	-	-	-	-	-
	Total Organic Carbon	mg/L		0	-	-	-	-	-	-
	Total Suspended Solids	mg/L		0	-	-	-	-	-	-
	pH	pH		0	-	-	-	-	-	-
7	Conductivity	ms/cm	Quarterly	-	-	-	-	-	-	-
	Oil and Grease	mg/L		-	-	-	-	-	-	-
	Total Organic Carbon	mg/L		-	-	-	-	-	-	-



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Measurements for the Month	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
	Total Suspended Solids	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-

Table 2 – Groundwater Monitoring (Quarterly – No Limits apply)

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
8	Ammonia	mg/L	Quarterly	-	-	-	-	-	-	-
	Bicarbonate	mg/L		-	-	-	-	-	-	-
	Calcium	mg/L		-	-	-	-	-	-	-
	Chloride	mg/L		-	-	-	-	-	-	-
	Conductivity	µs/cm		-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	Magnesium	mg/L		-	-	-	-	-	-	-
	Nitrate	mg/L		-	-	-	-	-	-	-
	Potassium	mg/L		-	-	-	-	-	-	-
	Sodium	mg/L		-	-	-	-	-	-	-
	Standing Water Level	m		-	-	-	-	-	-	-
	Sulphate	mg/L		-	-	-	-	-	-	-
pH	pH	-	-	-	-	-	-	-		
9	Ammonia	mg/L	Quarterly	-	-	-	-	-	-	-
	Bicarbonate	mg/L		-	-	-	-	-	-	-



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max or Only Value
	Calcium	mg/L		-	-	-	-	-	-	-
	Chloride	mg/L		-	-	-	-	-	-	-
	Conductivity	µs/cm		-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	Magnesium	mg/L		-	-	-	-	-	-	-
	Nitrate	mg/L		-	-	-	-	-	-	-
	Potassium	mg/L		-	-	-	-	-	-	-
	Sodium	mg/L		-	-	-	-	-	-	-
	Standing Water Level	m		-	-	-	-	-	-	-
	Sulphate	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-
10	Ammonia	mg/L	Quarterly	-	-	-	-	-	-	-
	Bicarbonate	mg/L		-	-	-	-	-	-	-
	Calcium	mg/L		-	-	-	-	-	-	-
	Chloride	mg/L		-	-	-	-	-	-	-
	Conductivity	µs/cm		-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	Magnesium	mg/L		-	-	-	-	-	-	-
	Nitrate	mg/L		-	-	-	-	-	-	-
	Potassium	mg/L		-	-	-	-	-	-	-
	Sodium	mg/L		-	-	-	-	-	-	-
	Standing Water Level	m		-	-	-	-	-	-	-
	Sulphate	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-



WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Table 3 – Monitoring (Quarterly Noise – Limits Apply)

EPL ID	Date	Start Time	Measurement Period	Measured levels – All sources – dB(A)		Limit(s)	Weather (wind speed/direction)	Observations	(Potential) Non-compliance /breach
				L _{A1,1} Minute	L _{Aeq,15} Minute				
N1	-	-	-	-	-	-	-	-	No monitoring this month
	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	

WHITEHAVEN CHPP – MONTHLY MONITORING SUMMARY

Figure 1 – EPL 3637 Monitoring Locations

