

Appendix 3

COMPLIANCE REVIEWS

- PA 06_0308 (Table A3-1)
- Environment Protection Licence
No 12957 (Table A3-2)
- ML 1624 (Table A3-3)

TABLE A3.1
Compliance Review – PA 06_0308

Condition	Conditional Requirement	Compliance	Comments
Schedule 2: Administrative Conditions			
1.	The Proponent shall implement all practicable measures to prevent and/or minimise any harm to the environment that may result from the construction, operation, or rehabilitation of the project.	Yes	Activities on site are undertaken on the basis of minimising harm to the environment.
2.	The Proponent shall carry out the project generally in accordance with the: a) EA; b) Sunnyside Coal Project Response to Public and government Agency Submissions Government Agency Submissions (June 2008); c) Sunnyside Coal Project Supplementary Response to Submissions (July 2008) d) Statement of Commitments (see Appendix 3); and e) Conditions of this approval.	Yes	The activities on site were being undertaken in accordance with the nominated documents.
3.	If there is an inconsistency between the above documents, the latter document shall prevail to the extent of the inconsistency. However, the conditions of this approval shall prevail to the extent of any inconsistency.	Not Applicable	
4.	The Proponent shall comply with any reasonable and feasible requirements of the Director-General arising from the Departments assessment of: (a) any reports, plans, programs, strategies or correspondence that are submitted in accordance with the conditions of this approval; and (b) the implementation of any actions or measures contained in these reports, plans, programs, strategies or correspondence.	Yes	Any requests by the Department have been addressed.
5.	Mining operations may take place on the site for 7 years from the grant of the mining lease for the project. <i>Note: Under this Approval, the Proponent is required to rehabilitate the site to the satisfaction of the Director-General and DPI. Consequently this approval will continue to apply in all other respects other than the right to conduct mining operations until the site has been rehabilitated to a satisfactory standard.</i>	Not Yet Applicable	
6.	The Proponent shall not extract more than 1 million tonnes of ROM coal a year from the site.	Yes	During the reporting period 298,492 tonnes of ROM coal was extracted.
7.	The Proponent shall use the coal transport route shown in Figure 2 of Appendix 2 to transport all coal from the site to the Whitehaven Siding CHPP.	Yes	As per condition.
8.	Construction activities may take place only between 7 am to 6 pm each Monday to Friday and 7 am to 4pm on Saturdays, and not on Public Holidays.	Yes	All construction activities were undertaken within the hours set out in this condition.

Condition	Conditional Requirement	Compliance	Comments
9.	Mining operations may take place only between 7 am to 10 pm each Monday to Friday and 7 am to 6 pm on Saturdays, and not on Public Holidays.	Yes	As per condition.
10.	Transport of coal may take place only between 7 am to 6 pm Monday to Friday (or between 7 am to 8 pm during Eastern Summer Time) and between 7 am to 4 pm on Saturdays, and not on Public Holidays.	Yes	As per condition.
11.	With the approval of the Director-General, the Proponent may submit any management plan or monitoring program required by this approval on a progressive basis.	Not Yet Applicable	
12.	The Proponent shall ensure that all new buildings and structures, and any alterations or additions to existing buildings and structures, are constructed in accordance with the relevant requirements of the BCA. <i>Notes:</i> <ul style="list-style-type: none"> Under Part 4A of the EP&A Act, the Proponent is required to obtain construction and occupation certificates for the proposed building works. Part 8 of the EP&A Regulation sets out the requirements for the certification of the project. 	Yes	As per condition.
13.	The Proponent shall ensure that all demolition work is carried out in accordance with <i>Australian Standard 2601-2001: The Demolition of Structures</i> , or its latest version.	Not Yet Applicable	No demolition works during Reporting Period.
14.	The Proponent shall ensure that all plant and equipment used on site is: <ul style="list-style-type: none"> (a) maintained in a proper and efficient condition; and (b) operated in a proper and efficient manner. 	Yes	All plant and equipment maintained in a proper and efficient manner.
15.	By 31 November 2008, and on each anniversary of that date until and including 2012, the Proponent shall provide development contributions of \$100,000 per annum to the Gunnedah Shire Council for expenditure by the Council on community enhancement projects.	Yes	As per condition.
Schedule 3: Specific Environmental Conditions			
1.	Upon receiving a written request for acquisition from the owner of "Lilydale", the Proponent shall acquire the land in accordance with the procedures in conditions 8-10 of schedule 4.	Not Applicable	Property purchased at commencement of the project.
2.	The Proponent shall ensure that the noise generated during the construction of the project does not exceed the level set out in Table 1. <ul style="list-style-type: none"> Over the day/evening limit of 40 LA10(15 minute), for any residences on, or more than 25% of, any privately owned land (except at "Lilydale") 	Yes	As per condition.

Condition	Conditional Requirement	Compliance	Comments
3.	<p>The Proponent shall ensure that the noise generated during mining operations and other activities on the site does not exceed the level set out in Table 2:</p> <ul style="list-style-type: none"> Over the day/evening limit of 35 LAeq(15 minute), for any residences on, or more than 25% of, any privately owned land (except at "Lilydale") <p>However, if the Proponent has a written negotiated noise agreement with the landowner of any land, and a copy of this agreement has been forwarded to the Department and DECC, then the Proponent may exceed the noise limits in Table 1 or Table 2 on that land in accordance with the negotiated noise agreement.</p>	No	See Section 3.10.3 for details regarding exceedances.
4.	<p>If the noise generated by the project exceeds the level in Table 3, the Proponent shall, upon receiving a written request for acquisition from the landowner, acquire the land in accordance with the procedures in conditions 8-10 of schedule 4.</p> <ul style="list-style-type: none"> Over the day/evening limit of 40 LAeq(15 minute), for any residences on, or more than 25% of, any privately owned land (except at "Lilydale") 	Not Applicable	No written requests received to date.
5.	<p>Upon receiving a written request from the landowner of:</p> <p>(a) "Illili", "Ferndale", or</p> <p>(b) any residence on privately owned land where noise generated by the project exceeds 37 dB(A) LAeq(15 minute), the Proponent shall implement additional noise mitigation measures such as double glazing, insulation, and/or air conditioning at any residence on the land in consultation with the landowner. These additional mitigation measures must be reasonable and feasible.</p> <p>If within 3 months of receiving this request from the landowner, the Proponent and the landowner cannot agree on the measures to be implemented, or there is a dispute about the implementation of these measures, then either party may refer the matter to the Director-General for resolution.</p> <p>Within 3 months of this approval, the Proponent shall notify all applicable landowners of their entitlements under this condition.</p>	Not Applicable	No written requests received to date.
6.	<p>The Proponent shall implement all reasonable and feasible measures to ensure that the traffic noise generated by the project combined with the traffic noise generated by other mines does not exceed the level in Table 4:</p> <ul style="list-style-type: none"> Over the day/evening limit of 55 LAeq(1 hour), for any residence adjacent to Torrens Road <p><i>Note: Traffic noise generated by the project is to be measured in accordance with the relevant procedures in the DECC's Environmental Criteria for Road Traffic Noise.</i></p>	No	See Section 3.10.3 for details regarding exceedances.

Condition	Conditional Requirement	Compliance	Comments
7.	<p>If the traffic noise generated by the project exceeds the criterion in Table 4, the Proponent shall, upon receiving a written request from any landowner adjacent to Torrens Road, implement noise mitigation measures such as double glazing, insulation, and/or air conditioning at any residence on the land in consultation with the landowner.</p> <p>These additional mitigation measures must be reasonable and feasible.</p> <p>If within 3 months of receiving this request from the landowner, the Proponent and the landowner cannot agree on the measures to be implemented, or there is a dispute about the implementation of these measures, then either party may refer the matter to the Director-General for resolution.</p> <p>Within 3 months of this approval, the Proponent shall notify all applicable landowners of their entitlements under this condition.</p>	Not yet applicable	No written requests received to date.
8.	<p>The Proponent shall:</p> <ul style="list-style-type: none"> (a) implement all reasonable and feasible best practice noise mitigation measures; (b) investigate ways to reduce the noise generated by the project, including off-site road and rail noise and; (c) report on these investigations and the implementation and effectiveness of these measures in the AEMR, <p>to the satisfaction of the Director-General.</p>	Yes	Amenity bunds constructed to minimise noise impacts. Noise exceedances initiated investigation and a consultant was approached to provide noise reduction recommendations (no recommendations received to date). See Section 3.10.3 for further details on noise mitigation initiatives.
9.	<p>The Proponent shall prepare and implement a Noise Monitoring Program for the project to the satisfaction of the Director-General. This program must:</p> <ul style="list-style-type: none"> (a) be prepared in consultation with the DECC; (b) be submitted to the Director-General for approval prior to carrying out any development on site; and (c) include: <ul style="list-style-type: none"> • attended monitoring measures; and • a noise monitoring protocol for evaluating compliance with the noise impact assessment and 	Yes	Plan approved by DG – 20 th October 2008.
10.	<p>The Proponent shall ensure that the airblast overpressure level from blasting at the project does not exceed the criteria in Table 5 and any residence on privately-owned land.</p> <ul style="list-style-type: none"> • 115dB_L, Allowable exceedances: 5% of the total number of blasts in a 12 month period. • 120dB_L at any time. 	Yes	No exceedance. See Section 3.9 and Appendix 6.

Condition	Conditional Requirement	Compliance	Comments
11.	<p>The Proponent shall ensure that the ground vibration level from blasting, or any other activity at the project does not exceed the criteria in Table 6 at any residence on privately-owned land.</p> <ul style="list-style-type: none"> • 5mm/s, Allowable exceedances: 5% of the total number of blasts in a 12 month period. • 10mm/s at any time. 	Yes	All ground vibration levels at non-project-related residences were less than 5mm/s. See Section 3.9 and Appendix 6.
12.	The Proponent shall carry out blasting on site only between 10 am and 5 pm each Monday to Friday and 10am and 2 pm on Saturdays (excepting Public Holidays).	Yes	As per condition. See Appendix 6.
13.	The Proponent shall not carry out more than: <ul style="list-style-type: none"> (a) 2 blasts a day; and (b) 5 blasts a week, averaged over any 12 month period on site. 	Yes	As per condition. See Appendix 6.
14.	At least 2 months before carrying out any blasting on the site, the Proponent shall advise all landowners within 2 km of proposed blasting activities, and any other landowner nominated by the Director-General that they are entitled to a property inspection to establish the baseline condition of the property.	Yes	As per condition.
15.	<p>If the Proponent receives a written request for a property inspection from any such landowner, the Proponent shall:</p> <ul style="list-style-type: none"> (a) commission a suitably qualified person, whose appointment has been approved by the Director-General, to inspect and report on the condition of any building or structure on the land, and recommend measures to mitigate any potential blasting impacts; and (b) give the landowner a copy of this property inspection report. <p><i>Note: It is preferable for the property inspection to be carried out prior to the commencement of blasting activities on the site, and the Proponent should facilitate this occurring wherever possible.</i></p>	Yes	As per condition.
16.	<p>If any landowner within 2 km of proposed blasting activities, or any other landowner nominated by the Director-General, claims that his/her property, including vibration-sensitive infrastructure such as water supply or underground irrigation mains, has been damaged as a result of blasting at the project, the Proponent shall within 3 months of receiving this request:</p> <ul style="list-style-type: none"> (a) commission a suitably qualified person whose appointment has been approved by the Director-General to investigate the claim and prepare a property investigation report; and (b) give the landowner a copy of the report. If this independent investigation confirms the landowner's claim, and both parties agree with these findings, then the Proponent shall repair the damage to the satisfaction of the Director-General. If the Proponent or landowner disagrees with the findings of the independent property investigation, then either party may refer the matter to the Director-General for resolution. 	Yes	Claims of blast related damage at the "Mulwalla" property investigated and a structural engineer engaged to assess property. Assessment report provided by structural engineer did not indicate blast related damage. Copy of report provided to "Mulwalla" residents.

Condition	Conditional Requirement	Compliance	Comments
17.	Prior to the commencement of blasting, the Proponent shall prepare and implement a detailed Blast Monitoring Program for the project, in consultation with the DECC and to the satisfaction of the Director-General.	Yes	Approved by DG – 20 th October 2008.
18.	<p>The Proponent shall ensure that dust emissions generated by the project do not cause additional exceedances of the criteria listed in Tables 7 to 9 at any residence on privately owned land, or on more than 25 percent of any privately-owned land.</p> <ul style="list-style-type: none"> • Total suspended particulate (TSP) matter – Annual average: 90µg/m³ • Particulate matter <10 µm(PM10) – Annual average: 30 µg/m³ • Particulate matter <10 µm(PM10) – 24 hour period - 50 µg/m³ • Deposited dust – Annual average: <ul style="list-style-type: none"> ○ Maximum increase in deposited dust level – 2 g/m²/month ○ Maximum total deposited dust level – 4 g/m²/month 	No	See Section 3.1.3 for details regarding exceedances of the 24 hour PM ₁₀ limit at “Illilli” and “Lilydale” due to surrounding bushfires over early December.
19.	<p>The Proponent shall prepare and implement an Air Quality Monitoring Program for the project to the satisfaction of the Director-General. This program must:</p> <ol style="list-style-type: none"> (a) be submitted to the Director-General prior to the commencement of construction activities; (b) be prepared in consultation with the DECC; and (c) use a combination of high volume samplers and dust deposition gauges to monitor the performance of the project. 	Yes	Approved by DG – 20 th October 2008.
20.	During the project, the Proponent shall ensure there is a suitable continuously operating meteorological station on site that complies with the requirements in <i>Approved Methods for Sampling of Air Pollutants in New South Wales</i> (DECC, 2007), or its latest version.	Yes	As per condition. See Section 3.22 and Appendix 8 for meteorological data.
21.	Except as may be expressly provided for by an EPL, or in accordance with section 120 of the <i>Protection of the Environment Operations Act 1997</i> , the Proponent shall not discharge any mine water from the site.	Yes	No discharges during the reporting period.
22.	<p>The Proponent shall prepare and implement a Water Management Plan for the project to the satisfaction of the Director-General. This plan must be submitted to the Director-General for approval prior to the commencement of construction activities (not including public road upgrades other than the realignment of Coochoonah Lane) in consultation with the DECC and DWE by suitably qualified expert/s whose appointment/s have been approved by the Director-General and include a:</p> <ol style="list-style-type: none"> (a) Site Water Balance; (b) Erosion and Sediment Control Plan; (c) Surface Water Monitoring Plan; (d) Groundwater Monitoring Program; and (e) Groundwater Contingency Plan. 	Yes	Approved by DG – 20 th October 2008.

Condition	Conditional Requirement	Compliance	Comments
23.	<p>The Site Water Balance must:</p> <p>(a) include details of:</p> <ul style="list-style-type: none"> • sources and security of water supply; • water use on site; • water management on site; • off-site water transfers; • reporting procedures; <p>(b) describe measures to minimise water use by the project; and</p> <p>(c) be reviewed and recalculated each year using the most recent water monitoring data.</p>	Yes	As per condition.
24.	<p>The Erosion and Sediment Control Plan must:</p> <p>(a) be consistent with the requirements of <i>Managing Urban Stormwater: Soils and Construction</i> manual (Landcom, 2004), or its latest version;</p> <p>(b) identify activities that could cause soil erosion and generate sediment;</p> <p>(c) describe measures to minimise soil erosion and the potential for transport of sediment to downstream waters;</p> <p>(d) describe the location, function, and capacity of erosion and sediment control structures; and</p> <p>(e) describe what measures would be implemented to monitor and maintain the structures over time.</p>	Yes	As per condition.
25.	<p>The Surface Water Monitoring Program must include:</p> <p>(a) detailed baseline data on surface water flows and quality in creeks and other waterbodies that could be affected by the project;</p> <p>(b) surface water impact assessment criteria;</p> <p>(c) a program to monitor the impact of the project on surface water flows and quality; and</p> <p>(d) procedures for reporting the results of this monitoring.</p>	Yes	As per condition.
26.	<p>The Groundwater Monitoring Program must include:</p> <p>(a) further development of the regional and local groundwater model;</p> <p>(b) detailed baseline data to benchmark the natural variation in groundwater levels, yield and quality (including at any privately owned bores in the vicinity of the site);</p> <p>(c) groundwater impact assessment criteria;</p> <p>(d) a program to monitor the impact of the project on groundwater levels, yield and quality; and</p> <p>(e) procedures for reporting the results of this monitoring.</p>	Yes	As per condition.

Condition	Conditional Requirement	Compliance	Comments
27.	The Groundwater Contingency Plan must: (a) provide measures to mitigate any impacts of the mine on the quality or quantity of groundwater supplies available on privately-owned land; (b) establish trigger levels, benchmarks and contingency criteria; and (c) provide for negotiated agreements with affected landowners, including compensation where mining impacts result in increased extraction costs for landowners.	Yes	As per condition.
28.	The Proponent shall implement the Koala habitat management and enhancement actions described in the EA (shown conceptually in Figure 6 in Appendix 4) in consultation with the DECC and to the satisfaction of the Director-General.	Yes	Rip lines installed in proposed enrichment planting areas and koala feed tree corridors. Planting of 80 Whitebox and 80 Yellowbox within the enrichment area on the north-eastern boundary.
29.	The Proponent shall rehabilitate the site to the satisfaction of the Director-General and DPI.	Not yet applicable	

Condition	Conditional Requirement	Compliance	Comments
30.	<p>The Proponent shall prepare and implement a detailed Rehabilitation and Landscape Management Plan for the site to the satisfaction of the Director-General and DPI. This plan must:</p> <ul style="list-style-type: none"> (a) be prepared in consultation with DECC, DWE and Council by suitably qualified expert/s whose appointment/s have been approved by the Director-General; and (b) be submitted to the Director-General and DPI for approval by 1 March 2009; (c) include: <ul style="list-style-type: none"> • <input type="checkbox"/> the rehabilitation objectives for the site; • a description of how the rehabilitation of the site would be integrated with the landscape of the surrounding area; • detailed performance and completion criteria for the rehabilitation of the site; • a detailed description of the measures that would be implemented to achieve the performance and completion criteria for each site, including the procedures to be implemented for <ul style="list-style-type: none"> - protection and enhancement of koala habitat; - progressively rehabilitating the areas disturbed by mining operations; - restoration of agricultural land suitability; - revegetating the site; - protecting and/or enhancing areas in the vicinity of the disturbance area; - conserving and re-using any topsoil; - controlling weeds and feral pests; - controlling access; and - bushfire management. • a program to monitor the performance of the rehabilitation against the stated objectives, • performance and completion criteria; • a description of the potential risks to successful rehabilitation, and a description of the contingency measures that would be implemented to minimise these risks; • and details of who is responsible for monitoring, reviewing and implementing the plan. 	No	The Plan has been completed and is currently pending approval from DG and DPI.

Condition	Conditional Requirement	Compliance	Comments
31.	At least 2 years prior to the cessation of mining operations on the site the Proponent shall prepare a Mine Closure Plan. This plan must: (a) define the objectives and criteria for mine closure; (b) investigate options for the future use of the site; (c) provide a detailed methodology for decommissioning the site's storage dams; (d) investigate ways to minimise the adverse socio-economic effects associated with mine closure, including reduction in local and regional employment levels; (e) describe the measures that would be implemented to minimise or manage the on-going environmental effects of the project; and (f) describe how the performance of these measures would be monitored over time.	Not yet applicable	Mine Closure Plan was developed as part of the Rehabilitation and Landscape Management Plan which is currently awaiting approval from DoP.
32.	The Proponent shall not destroy any known Aboriginal objects (as defined in the <i>National Parks and Wildlife Act 1974</i>) without the written approval of the Director-General.	Yes	As per condition.
33.	The Proponent shall prepare and implement an Aboriginal Cultural Heritage Management Plan for the project to the satisfaction of the Director-General. This plan must: (a) be submitted to the Director-General prior to the commencement of construction activities (not including public road upgrades other than the realignment of Coocooboonah Lane); (b) be prepared in consultation with the DECC and the local Aboriginal community; (c) include a protocol for the ongoing consultation and involvement of Aboriginal communities in the conservation and management of Aboriginal heritage on site; and (d) describe the measures that would be implemented to protect Aboriginal sites on site, or if any new Aboriginal objects or skeletal remains are discovered during the project.	Yes	Approved by DG – 20 th October 2008
34.	The Proponent shall keep records of the amount of coal transported from the site each year, and include these records in the AEMR.	Yes	As per condition. See Section 2.12.

Condition	Conditional Requirement	Compliance	Comments
35.	<p>Prior to transporting any coal off-site, the Proponent shall:</p> <p>(a) construct a realignment of Coocooboonah Lane to the satisfaction of the landowner and Council;</p> <p>(b) upgrade the intersection of Coocooboonah Lane and the Oxley Highway to the satisfaction of the RTA and Council;</p> <p>(c) upgrade the intersection of the Oxley Highway and Blackjack Road to the satisfaction of the RTA and Council;</p> <p>(d) upgrade the section of Blackjack Road to be used for coal transport to the satisfaction of Council;</p> <p>(e) upgrade the intersection of Blackjack Road and Quia Road to the satisfaction of Council;</p> <p>(f) upgrade the section of Quia Road to be used for coal transport to the satisfaction of Council;</p> <p>(g) upgrade the intersection of Quia Road and Farrar Road to the satisfaction of Council;</p> <p>(h) upgrade the intersection of Quia Road and Torrens Road to the satisfaction of Council; and</p> <p>(i) upgrade Torrens Road to the satisfaction of Council.</p>	<p>Yes</p> <p>No</p> <p>No</p> <p>Yes</p> <p>Yes</p> <p>Yes</p> <p>Yes</p> <p>Yes</p> <p>Yes</p>	<p>NMPL received approval from RTA and Council to commence haulage prior to upgrade of the Oxley Highway/Coocooboonah Lane intersection and Oxley Highway/Blackjack Road intersection. All transport route upgrades have been completed.</p>
36.	<p>Prior to carrying out any development on site, the Proponent shall prepare, and subsequently implement, a Construction Traffic Management Plan for the project to the satisfaction of the RTA and Council.</p>	Yes	As per condition.
37.	<p>Within 6 months of this approval the Proponent shall enter into an agreement with Council for the maintenance of the section of the Oxley Highway between Coocooboonah Lane and Blackjack Road.</p>	No	Road Maintenance Agreement finalised August 2009.
38.	<p>Prior to transporting coal from the site the Proponent shall construct 2 bus stops on the Oxley Highway to the satisfaction of Council.</p>	Yes	As per condition.
39.	<p>Notwithstanding condition 10 of Schedule 2, the Proponent shall ensure no coal is transported from the site during AgQuip.</p>	Yes	As per condition.
40.	<p>The Proponent shall minimise the visual impacts of the project to the satisfaction of the Director-General</p>	Yes	As per condition (eg. cover crop establishment, amenity bund construction). See Section 3.11.2
41.	<p>The Proponent shall ensure that:</p> <p>(a) no outdoor lights shine above the horizontal; and</p> <p>(b) all external lighting associated with the project complies with <i>Australian Standard AS4282 (INT) 1995 – Control of Obtrusive Effects of Outdoor Lighting</i>.</p>	Yes	As per condition.

Condition	Conditional Requirement	Compliance	Comments
42.	The Proponent shall prepare and implement an Energy Savings Action Plan for the project to the satisfaction of the Director-General. This plan must: <ul style="list-style-type: none"> (a) be prepared in accordance with the <i>Guidelines for Energy Savings Action Plans (DEUS, 2005)</i>, or its latest version; (b) include consideration of energy use by mobile equipment; (c) be submitted to the Director-General for approval within 3 months of this approval; and (d) include a program to monitor the effectiveness of measures to reduce energy use on site. 	No	Approved by DG – July 2009.
43.	The Proponent shall prepare and implement a Waste Management Plan for the project to the satisfaction of the Director-General. This plan must: <ul style="list-style-type: none"> (a) be submitted to the Director-General for approval prior to commencing of construction; (b) identify the various waste streams of the project; (c) describe what measures would be implemented to reuse, recycle, or minimise the waste generated by the project; (d) ensure irrigation of treated wastewater is undertaken in accordance with <i>Environmental Guidelines :Use of Effluent by Irrigation (DEC, 2004)</i>, or its latest version; and (e) include a program to monitor the effectiveness of these measures. 	Yes	Approved by DG – 28 th October 2008.
Schedule 4: Additional Procedures			
1.	Within 1 month of this approval, the Proponent shall notify the owner of “Lilydale” in writing that he/she has the right to require the Proponent to acquire their land at any stage during the project.	Not Applicable	See Condition 3(1).
2.	If the results of monitoring required in schedule 3 identify that impacts generated by the project are greater than the relevant impact assessment criteria in schedule 3, then the Proponent shall notify the Director- General and the affected landowners and/or existing or future tenants (including tenants of mine owned properties) accordingly, and provide quarterly monitoring results to each of these parties until the results show that the project is complying with the criteria in schedule 3. However, no notification is required if the impact is predicted in the EA or where an agreement has been negotiated with a landowner that excludes the requirement for ongoing notification of such impacts.	Yes	As per condition.

Condition	Conditional Requirement	Compliance	Comments
3.	<p>If a landowner considers the project to be exceeding the impact assessment criteria in schedule 3, except where this is predicted in the EA, then he/she may ask the Director-General in writing for an independent review of the impacts of the project on his/her land. If the Director-General is satisfied that an independent review is warranted, the Proponent shall within 2 months of the Director-General's decision:</p> <ul style="list-style-type: none"> (a) consult with the landowner to determine his/her concerns; (b) commission a suitably qualified, experienced and independent person, whose appointment has been approved by the Director-General, to conduct monitoring on the land, to: <ul style="list-style-type: none"> o determine whether the project is complying with the relevant impact assessment criteria in schedule 3; o and identify the source(s) and scale of any impact on the land, and the project's contribution to this impact; and (c) give the Director-General and landowner a copy of the independent review. <p>If the independent review determines that the project is complying with the relevant impact assessment criteria in schedule 3, then the Proponent may discontinue the independent review with the approval of the Director-General.</p>	Not Yet Applicable	No requests from adjoining landowners.
4.	<p>If the independent review determines that the project is not complying with the relevant impact assessment criteria in schedule 3, and that the project is primarily responsible for this non-compliance, then the Proponent shall:</p> <ul style="list-style-type: none"> (a) take all reasonable and feasible measures, in consultation with the landowner, to ensure that the project complies with the relevant criteria; and (b) conduct further monitoring to determine whether these measures ensure compliance; or (c) secure a written agreement with the landowner to allow exceedances of the relevant criteria, to the satisfaction of the Director-General. <p>If further monitoring under paragraph (b) determines that the project is complying with the relevant criteria, then the Proponent may discontinue the independent review with the approval of the Director-General.</p>	Not Yet Applicable	

Condition	Conditional Requirement	Compliance	Comments
5.	If further monitoring under condition 4(b) determines that measures implemented under condition 4(a) have not achieved compliance with the land acquisition criteria in schedule 3, and the Proponent cannot then secure within 3 months a written agreement with the landowner under condition 4(c) to allow these exceedances, then the Proponent shall, upon receiving a written request from the landowner, acquire all or part of the landowner's land in accordance with the procedures in conditions 7-9 below.	Not Yet Applicable	
6.	<p>If:</p> <p>(a) the landowner disputes the results of the independent review; or</p> <p>(b) the Proponent is unable to secure a written agreement under condition 4(c) with the landowner then (subject to condition 5) either the Proponent or the landowner may refer the matter to the Director-General for resolution.</p> <p>Where matters referred to the Director-General under this condition cannot be resolved by the Director-General within 28 days, the Director-General shall refer the matter to an Independent Dispute Resolution Process.</p>	Not Yet Applicable	
Schedule 5: Environmental Management, Monitoring, Auditing and Reporting			
1.	<p>The Proponent shall prepare and implement an Environmental Management Strategy for the project to the satisfaction of the Director-General. This strategy must be submitted to the Director-General prior to the commencement of construction activities, and:</p> <p>(a) provide the strategic framework for environmental management of the project;</p> <p>(b) identify the statutory requirements that apply to the project;</p> <p>(c) describe in general how the environmental performance of the project would be monitored and managed;</p> <p>(d) describe the procedures that would be implemented to:</p> <ul style="list-style-type: none"> • keep the local community and relevant agencies informed about the operation and environmental performance of the project; • receive, handle, respond to, and record complaints; • resolve any disputes that may arise during the course of the project; • respond to any non-compliance; • manage cumulative impacts; and • respond to emergencies; and <p>(e) describe the role, responsibility, authority and accountability of all key personnel involved in the environmental management of the project.</p>	Yes	Approved by DG – 20 th October 2008.

Condition	Conditional Requirement	Compliance	Comments
2.	The Proponent shall prepare and implement an Environmental Monitoring Program for the project to the satisfaction of the Director-General. This program must be submitted to the Director-General within 6 months of this approval and consolidate the various monitoring requirements in schedule 3 of this approval into a single document.	No	To be completed during next reporting period.
3.	As soon as practicable, and in any event within 24 hours of detecting an exceedance of the limits/performance criteria in this approval or the occurrence of an incident that causes (or may cause) material harm to the environment, the Proponent shall notify the Department and other relevant agencies of the exceedance/incident.	No	DECCW and DoP and the affected residents are notified as soon as possible after detecting an exceedance.
4.	<p>Within 6 days of notifying the Department and other relevant agencies of an exceedance/incident, the Proponent shall provide the Department and these agencies with a written report that:</p> <ul style="list-style-type: none"> (a) describe the date, time and nature of the exceedance/incident; (b) identifies the cause (or likely cause) of the exceedance/incident; (c) describes what action has been taken to date; and (d) describes the proposed measures to address the exceedance/incident. 	No	Written notification provided as soon as possible on detecting an exceedance.
5.	<p>Within 12 months of this approval, and annually thereafter, the Proponent shall submit an AEMR to the Director-General and to all relevant agencies. This report must:</p> <ul style="list-style-type: none"> (a) identify the standards and performance measures that apply to the project; (b) describe the works carried out in the last 12 months; (c) describe the works that would be carried out in the next 12 months; (d) include a summary of the complaints received during the past year, and compare this to the complaints received in previous years; (e) include a summary of the monitoring results for the project during the past year; (f) include an analysis of these monitoring results against the relevant: <ul style="list-style-type: none"> o impact assessment criteria/limits; o monitoring results from previous years; and o predictions in the EA; (g) identify any trends in the monitoring results over the life of the project; (h) identify any non-compliance during the previous year; and (i) describe what actions were, or are being, taken to ensure compliance. 	Yes	As per condition.

Condition	Conditional Requirement	Compliance	Comments
6.	<p>Within 2 years of this approval, and every 3 years thereafter, unless the Director-General directs otherwise, the Proponent shall commission and pay the full cost of an Independent Environmental Audit of the project. This audit must:</p> <ul style="list-style-type: none"> (a) include consultation with the relevant agencies; (b) assess the environmental performance of the project and assess whether it is complying with the relevant requirements in this approval and any associated EPL or Mining Lease (including any strategy, plan or program required under these approvals); (c) review the adequacy of strategies, plans or programs required under these approvals; and, if appropriate, (d) recommend measures or actions to improve the environmental performance of the project, and/or any strategy, plan or program required under these approvals. <p><i>Note: This audit team must be led by a suitably qualified auditor and include experts in the fields of water, noise management and mine rehabilitation.</i></p>	Yes	Audit approved by DG on 3/11/10 to be completed in early Feb 2011.
7.	<p>Within 6 weeks of the completing of this audit, or as otherwise directed by the Director-General, the Proponent shall submit a copy of the audit report to the Director-General, together with its response to any recommendations contained in the audit report.</p>	Not Yet Applicable	
8.	<p>Within 3 months of submitting the audit report to the Director-General, the Proponent shall review, and if necessary revise the strategies/plans/programs required under this approval to the satisfaction of the Director-General.</p>	Not Yet Applicable	
9.	<p>Within 3 months of this approval, the Proponent shall establish a Community Consultative Committee (CCC) for the project. This CCC must be established and operated in accordance with the <i>Guideline for Establishing and Operating Community Consultative Committees for Mining Projects (Department of Planning, 2007)</i>, or its latest version, and to the satisfaction of the Director-General.</p>	Yes	Sunnyside Community Consultative Committee established in January 2009.
10.	<p>Within 3 months of the approval of any strategy/plan/program required under this approval (or any subsequent revision of these strategies/plans/programs), or the completion of the audits or AEMRs required under this approval, the Proponent shall:</p> <ul style="list-style-type: none"> (a) provide a copy of the relevant document/s to the relevant agencies and CCC; and (b) put a copy of the relevant document/s on its website. 	Yes	All relevant documentation available on the Whitehaven website. AEMR also provided to relevant agencies and CCC.

Condition	Conditional Requirement	Compliance	Comments
11.	During the project, the Proponent shall: (a) make a summary of all monitoring results required under this approval publicly available at the mine and on its website; and (b) update these results on a regular basis (at least every three months).	Yes	Data provided on website in CCC monitoring reports and AEMR.

TABLE A3.2
Compliance Review – Environment Protection Licence 12957

Condition	Conditional Requirement	Compliance	Comments
A1.2	Carry out of the scheduled development work at specified premises at a scale not exceeding >500,000 – 2,000,000t. Coal works: 0 – 2,000,000 t loaded	Yes	ROM coal production in 2009/2010 reporting period = 298,492 tonnes Coal loaded within specified limits.
A1.3	The licensee must not carry on any scheduled activities until the scheduled development works are completed, except as elsewhere provided in this licence.	Yes	As per condition.
A4.1	Works and activities must be carried out in accordance with the proposal contained in the licence application, except as expressly provided by a condition of this licence. In this condition the reference to "the licence application" includes a reference to: (a) the applications for any licences (including former pollution control approvals) which this licence replaces under the Protection of the Environment Operations (Savings and Transitional) Regulation 1998; (b) and the licence information form provided by the licensee to the EPA to assist the EPA in connection with the issuing of this licence.	Yes	As per condition.
L1.1	Comply with Section 120 of the POEO Act 1997 (re pollution of waters).	Yes	All efforts are maintained to ensure compliance with Section 120.
L3.1	Comply with concentration limits: Oil & Grease 10 mg/L pH 6.5 – 8.5 TSS 50 mg/L	Not Yet Applicable	Nil discharge during reporting period.
L3.4	The Total Suspended Solids concentration limits specified may be exceeded for water discharged provided that: (a) the discharge occurs solely as a result of rainfall measured at the premises that exceeds 38.4 millimetres over any consecutive 5 day period immediately prior to the discharge occurring; and (b) all practical measures have been implemented to dewater all sediment dams within 5 days of rainfall such that they have sufficient capacity to store run off from a 38.4 millimetres, 5 day rainfall event. Note: 38.4 mm equates to the 5 day 90%ile rainfall depth for Gunnedah sourced from Table 6.3a Managing Urban Stormwater: Soils and Construction Volume 1: 4th edition, March 2004.	Not yet applicable	Nil discharge during reporting period.

Condition	Conditional Requirement	Compliance	Comments
L5.1	The licensee must not cause, permit or allow any waste generated outside the premises to be received at the premises for storage, treatment, processing, reprocessing or disposal or any waste generated at the premises to be disposed of at the premises, except as expressly permitted by the licence.	Yes	As per condition.
L5.2	This condition only applies to the storage, treatment, processing, reprocessing or disposal of waste at the premises if those activities require an environment protection licence.	Yes	As per condition.
L6.1	Ensure noise compliance: (a) $L_{Aeq(15min)}$ criterion of 35dB(A) at all times (day, evening and night time periods); and (b) $L_{10(15 min)}$ criterion of 40dB(A) during initial construction period.	No	See Section 3.10.3 for details regarding exceedances.
L6.3	The noise emission limits identified in this licence apply under all meteorological conditions except: (a) during rain and wind speeds (at 10m height) greater than 3m/s; and (b) under "non-significant weather conditions".	Yes	As per condition.
L6.4	The noise limits set by condition L6.1 of the licence do not apply where a current legally binding agreement exists between the licensee and the occupant of a residential property that: (a) agrees to an alternative noise limit for that property; or (b) provides an alternative means of compensation to address noise impacts from the premises. A copy of any agreement must be provided to the EPA before the licensee can take advantage of the agreement.	Not Applicable	No legally binding agreements in place.
L7.1	The overpressure level from blasting operations at the premises must not exceed 115dB(Lin Peak) for more than 5% of total number of blasts over reporting period.	Yes	See Appendix 6. No exceedances during reporting period.
L7.2	The overpressure level from blasting operations at the premises must not exceed 120dB(Lin Peak) at any time.	Yes	See Appendix 6. No exceedances during reporting period.
L7.3	Ground vibration peak particle velocity from blasting operations must not exceed 5mm/s for more than 5% of the total number of blasts during each reporting period.	Yes	See Appendix 6. No exceedances during reporting period.
L7.4	Ground vibration peak particle velocity from blasting operations must not exceed 10mm/s at any time.	Yes	See Appendix 6. No exceedances during reporting period.

Condition	Conditional Requirement	Compliance	Comments
L8.1	Construction activities covered by this licence must only be carried out between the hours of 0700 to 1800 hrs Monday to Friday and between 0700 and 1600 hrs Saturday and at no time on Sundays and Public Holidays.	Yes	As per condition.
L8.2	Mining operations covered by this licence (other than transport of coal from the premises and blasting) must only be carried out between the hours of 0700 and 2200 hrs Monday to Friday, and 0700 and 1800 hrs Saturday, and at no time on Sundays and Public Holidays.	Yes	As per condition.
L8.3	Transportation of coal from the premises must only be carried out between the hours of 0700 and 1800 (Eastern Standard Time) hrs Monday to Friday, and 0700 and 2000 hrs (Eastern Summer Time) Monday to Friday, and 0700 to 1600 hrs on Saturdays, and at no time on Sundays and Public Holidays.	Yes	As per condition.
L8.4	Blasting in or on the premises must only be carried out between the hours of 1000 and 1700 hours Monday to Friday, and 1000 and 1400 hrs on Saturdays, and no time on Sundays and Public Holidays.	Yes	As per condition.
L8.5	Conditions L8.1, L8.2, L8.3 and L8.4 do not apply to the delivery of material, and mining operation, if required by police or other authorities for safety reasons; and/or the operation or personnel or equipment are endangered. In such circumstances notification must be provided to the EPA and affected residents as soon as practicable.	Not yet applicable	
L8.6	The hours of operation specified in conditions L8.1, L8.2, L8.3 and L8.4 may be varied with written consent if the EPA is satisfied that the amenity of the residents in the locality will not be adversely affected.	Not yet applicable	
L9.1	The maximum tonnage of extraction of ROM coal at the premises during the reporting period must not exceed 1 million tonnes.	Yes	ROM coal during reporting period – 298,492 tonnes
O1.1	Carry out licensed activities in a competent manner, i.e. (a) processing, handling, movement and storage of materials and substances; and (b) treatment, storage, processing, reprocessing, transport and disposal of waste generated by the activity.	Yes Yes	As per licence condition.

Condition	Conditional Requirement	Compliance	Comments
O2.1	All plant and equipment installed at the premises or used in connection with the licensed activity must: (a) be maintained in a proper and efficient condition; and (b) be operated in a proper and efficient manner.	Yes	All plant and equipment is closely monitored and regularly serviced by Sunnyside Coal Mine personnel.
O3.1	Minimise or prevent emission of dust from the premises.	Yes	Dust emissions are minimised (unable to “prevent” dust emission) principally through watering and progressive rehabilitation.
O3.2	Ensure all trucks cover their loads after loading to prevent wind blown emissions and spillage. The covering must be maintained until immediately before unloading the trucks.	Yes	All trucks are required to use tarpaulins in the transport of coal.
M1.1	Record and retain monitoring results required as per this licence.	Yes	Monitoring records maintained as per condition.
M1.2	Keep all monitoring records associated with this licence: (a) in a legible form; (b) for at least 4 years; (c) produced in a legible form to any authorised officer of the EPA who asks to see them.	Yes	As per condition.
M1.3	Keep the following records in respect to samples required: (a) sampling date; (b) sampling time; (c) sampling location; and (d) sample collector's name.	Yes Yes Yes Yes	As per condition.
M2.1	Monitor the concentration of each pollutant specified using the sampling method, units and frequency specified.	Yes	As per condition.
M3.1	Monitor air pollutants in accordance with the Approved Methods publication or as approved by EPA.	Yes	Test method used refers to the EPA approved publication “Approved Methods for the Sampling and Analysis of Air Pollutants in NSW.”
M3.2	Monitor pollutants discharged to waters in accordance with the Approved Methods publication or as approved by EPA.	Not Yet Applicable	No discharges during the reporting period. The Site Water Management Plan sets out the requirements for monitoring discharge events.
M4.1	Keep a legible record of all complaints re pollution arising from licenced activity.	Yes	Complaints register maintained by Environmental Manager.

Condition	Conditional Requirement	Compliance	Comments
M4.2	Keep the following records of complaints. (a) date and time of complaint; (b) method complaint made; (c) any personal details of complainant; (d) nature of complaint; (e) licensee's action in response, any follow-up contact; and (f) if no action – reason why.	Yes Yes Yes Yes Yes Yes	Complaints records are compiled in accordance with the condition.
M4.3	Keep records of complaints for 4 years.	Yes	All records have been kept to date.
M4.4	Present records to EPA upon request.	Yes	All records would be made available to the EPA upon request.
M5.1	Operate telephone complaints line for receipt of complaints from the public.	Yes	Sunnyside Coal Mine operates a complaints hotline on telephone No. 0427 106 384.
M5.2	Notify the public of the complaints telephone line number.	Yes	Complaints hotline advertised in local press.
M7.1	Monitor meteorological conditions as specified.	Yes	As per condition.
M8.1	For monitoring points specified, monitor noise or vibration parameter utilising sampling method, units and frequency as directed.	Yes	As per condition.
M8.2	To determine compliance with condition L7.1 (a) Airblast overpressure and ground vibration levels must be measured and electronically recorded at receptors R1, R2, R4 and R6 - for all blasts carried out in or on the premises; and (b) Instrumentation used to measure the airblast overpressure and ground vibration levels must meet the requirements of Australian Standard AS 2187.2-2006.	Yes	As per condition.
R1.1	Complete and supply Annual Return to EPA comprising: (a) Statement of Compliance; (b) Monitoring & Complaints Summary.	Yes	First Annual Return submitted on the 2/2/2010 for the period 15/12/2008 to 14/12/2009. Next Annual Return due in February 2011.
R1.2	An Annual Return must be prepared in respect of each reporting period, except as provided below	Yes	First Annual Return submitted on the 2/2/2010 for the period 15/12/2008 to 14/12/2009. Next Annual Return due in February 2011.

Condition	Conditional Requirement	Compliance	Comments
R1.3	Where this licence is transferred from the licensee to a new licensee: (a) the transferring licensee must prepare an Annual Return for the period commencing on the first day of the reporting period and ending on the date the application for the transfer of the licence to the new licensee is granted; and (b) the new licensee must prepare an Annual Return for the period commencing on the date the application for the transfer of the licence is granted and ending on the last day of the reporting period.	Not Yet Applicable	
R1.4	Where this licence is surrendered by the licensee or revoked by the EPA or Minister, the licensee must prepare an Annual Return in respect of the period commencing on the first day of the reporting period and ending on: (a) in relation to the surrender of a licence - the date when notice in writing of approval of the surrender is given; or (b) in relation to the revocation of the licence - the date from which notice revoking the licence operates.	Not Yet Applicable	
R1.5	Provide EPA with Annual Return no later than 60 days after end of each reporting period.	Yes	First Annual Return submitted on the 2/2/2010 for the period 15/12/2008 to 14/12/2009.
R1.7	Retain copy of Annual Return for 4 years.	Yes	As per condition
R1.8	Certify the Statement of Compliance within the Annual Return and sign the Monitoring and Complaints Summary by: (a) licence holder; or (b) approved person.	Yes	As per condition
R2.1	Notify EPA of threatening or harmful incidents as soon as practicable by phoning EPA's Pollution Line service.	Not Yet Applicable	No incidents during reporting period.
R2.2	Provide written details of the incident to EPA within 7 days of incident.	Not Yet Applicable	No incidents during reporting period.
R3.1	Upon an EPA officer suspecting that an event is causing or likely to cause environmental harm: (a) at the premises; or (b) in connection with vehicles or plant associated with the licenced activities; a request may be made for a written report of the event.	Not Yet Applicable	No requests received from EPA during Reporting Period (or to date).
R3.2	The licensee must make all reasonable inquiries in relation to the event and supply the report to the EPA within such time as may be specified in the request.	Not Yet Applicable	No requests received from EPA during reporting period (or to date).

Condition	Conditional Requirement	Compliance	Comments
R3.3	The report may be required to include: (a) event cause, time and duration; (b) type, volume and concentration of every pollutant discharged; (c) contact details of employees or agents of licensee who witnessed event; (d) contact details of any other persons witnessing the event; (e) the action taken and follow-up contact with complainants in relation to event; (f) mitigation measures proposed to prevent recurrence; (g) any other relevant matters.	Not Yet Applicable	No requests received from EPA during reporting period (or to date).
R3.4	EPA may request further details – must be supplied within specified time.	Not Yet Applicable	No requests received from EPA during reporting period (or to date).
R4	Report any exceedance of the licence blasting limits to the regional office of the EPA as soon as practicable after the exceedance becomes known.	Not Yet Applicable	No exceedances of blasting limits recorded.
G1.1	Retain a copy of this licence at premises to which the licence applies.	Yes	Retained in the Sunnyside Site Office.
G1.2	Produce licence to EPA officer upon request.	Not Yet Applicable	Sunnyside Coal Mine personnel would produce the licence upon request.
G1.3	Make licence available for inspection by any employee or agent of licensee working at premises.	Yes	Licence is located in Sunnyside Site Office if required. Sunnyside Coal Mine personnel would produce the licence upon request.

TABLE A3-3
Compliance Review – ML 1624

Relevant Condition	Conditional Requirement	Compliance	Comments
1	Service of notice on landholders within 3 months of granting of mining lease.	Not Applicable.	NMPL only landholders on mining lease.
2	Implement all practicable measures to prevent and/or minimise any harm to the environment that may result from the construction, operation or rehabilitation of the development.	Yes	As per condition.
3	Prepare and submit a MOP in accordance with DG's guidelines.	Yes	Initial MOP lodged with DPI and accepted on the 25 th September 2008. MOP period ends September 2015.
4	Lodge an annual Environmental Management Report with DG annually.	Yes	This is the second AEMR since commencement of the mine in 2008.
5.	Prepare the EMR in accordance with requirements in the Mining Lease.	Yes	Prepared in accordance with the requirements.
6	Submit additional environmental reports as directed by the DG.	Not Yet Applicable	No directions issued.
7	Rehabilitate disturbed land to a sustainable/agreed end land use to the satisfaction of the DG.	Not Yet Applicable	No significant rehabilitation complete at this stage.
8	Prepare a Subsidence Management Plan prior to commencing underground mining, in accordance with specified requirements	Not Applicable	Open cut operation
9	(a) Ensure that at least 10 competent people are efficiently employed on the lease area on each day week day except Sunday or any week day that is a public holiday, OR (b) Expend on operations an amount of not less than \$175,000 per annum whilst the lease is in force.	Yes	As per condition.
10	Comply with any direction given by an Environmental Officer of the Department in regard to non-compliance with the Act or any condition of this lease.	Not Yet Applicable	No direction received during reporting period.
11	Provide an exploration report, within a period of 28 days after each anniversary of the date this lease has effect. The report must be to the satisfaction of the DG and contain the specified requirements.	No	Report has been submitted and was accepted in February 2011.

Relevant Condition	Conditional Requirement	Compliance	Comments
15(a)	Ensure that ground vibration peak particle velocity generated by any blasting does not exceed 10mm/sec and does not exceed 5mm/sec in more than 5% of the total number of blasts over a period of 12 months at any dwelling or occupied premises.	Yes	No exceedances recorded. See Appendix 6.
15(b)	Ensure that blast overpressure noise level generated by any blasting does not exceed 120 dB (linear) and does not exceed 115 dB (linear) more than 5% of the total number of blasts over a period of 12 months, at any dwelling or occupied premises.	Yes	No exceedances recorded. See Appendix 6.
16	Carry out operations in a manner that ensures the safety of persons and stock.	Yes	As per condition.
17(a)	Advise DWE Regional hydrogeologist of intention to drill exploration holes 28 days prior to commencement.	No	Drilling during the reporting period commenced with short notice and therefore notification at least 28 days prior to drilling was not possible. Future drilling will be adequately planned including notification to DWE.
17(b)	All exploration drill holes must be completed to the satisfaction of the Director General in relation to:- <ul style="list-style-type: none"> • adequate marking/survey • sealed to prevent collapse • sealed with cement plugs to prevent discharge of groundwaters • if meets gas, it is plugged to prevent escape • if meets artesian or sub-artesian flow is sealed to prevent contamination of aquifer • once no longer used, is sealed according to Department guidelines • once no longer used, the land is left in a clean, tidy and stable condition. 	Yes	As per condition.
18	Operations must be carried out so as not to cause or aggravate air pollution, water pollution or soil contamination or erosion.	Yes	As per Air Quality and Site Water Management Plans.
19	Operations must not interfere with transmission lines, communication lines, pipelines or any other utility, without prior written approval of the DG and subject to any conditions he may stipulate.	Yes	As per condition.

Relevant Condition	Conditional Requirement	Compliance	Comments
20	Activities must not interfere with or damage fences and gates must be closed or left open in accordance with landholder requirements.	Yes	As per condition.
21(a)	Operations must not affect any road unless in accordance with the MOP or written approval of Director General.	Yes	As per condition.
21(b)	Leaseholder must pay to the authority responsible for the road the cost incurred in fixing any damage to the roads caused by the operations.	Yes	Agreement in place with GSC.
22	Access tracks kept to a minimum and positioned so as not to cause unnecessary damage. Temporary tracks to be ripped, topsoiled and revegetated when no longer required.	Yes	As per condition.
23(a)	Trees must not be felled without the consent of the landholder who is entitled to the use of the timber.	Yes	As per condition.
23(b)	Trees must not be felled on the lease area except where it directly obstructs or prevents the carrying out of operations.	Yes	As per condition.
23(c)	Timber from Crown land within the lease area must not be used until all relevant approvals have been obtained.	Yes	As per condition.
25	Comply with direction of Director General if notice is issued with regard to resource recovery	Not Yet Applicable	No notice issued.
27	Provision of Security of \$3,175,000 to the Minister to ensure fulfilment of lease conditions.	Yes	As per condition.
31	Make every reasonable attempt, and demonstrate attempts, to enter into a cooperation agreement with the holder(s) of any overlapping petroleum title(s).	Not Yet Applicable	