



## SUNNYSIDE COAL MINE – MONTHLY MONITORING SUMMARY

### Site Information

**EPL No:** 12957

**EPA Website Link:** <http://www.environment.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=31541&SYSUID=1&LICID=12957>

**Licensee:** Namoi Mining Pty Ltd

**Licensee Address:** Sunnyside Coal Project, 259 Coocooboona Lane, GUNNEDAH NSW 2380

**EPL Monitoring Points:** See Figure 1 below

**Sampling Period:** October 2012

**Publication Date:** 21<sup>st</sup> November 2012 (re-published 9<sup>th</sup> September 2014)

**Table 1 - No Pollutant Limits Apply**

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date(s) Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max Value
1	Particulates-Deposited Matter	g/m <sup>2</sup> /month	Continuous	1	19/10/2012	30/10/2012	1.0	1.0	1.0	1.0
2	Particulates-Deposited Matter	g/m <sup>2</sup> /month	Continuous	1	19/10/2012	30/10/2012	1.2	1.2	1.2	1.2
4	Particulates-Deposited Matter	g/m <sup>2</sup> /month	Continuous	1	19/10/2012	30/10/2012	1.7	1.7	1.7	1.7
5	Particulates-Deposited Matter	g/m <sup>2</sup> /month	Continuous	1	19/10/2012	30/10/2012	0.7	0.7	0.7	0.7
6	Particulates-Deposited Matter	g/m <sup>2</sup> /month	Continuous	1	19/10/2012	30/10/2012	1.4	1.4	1.4	1.4
7	PM <sub>10</sub>	µg/m <sup>3</sup>	Every 6 days	5	5,11,17,23,29/10/2012	12/11/2012	11.4	21.5	18.7	36.5
9	Conductivity	µS/cm	Special Frequency 1*	0	-	-	-	-	-	-
	Total organic carbon	mg/L		0	-	-	-	-	-	-
10	Conductivity	µS/cm	Special Frequency 1*	0	-	-	-	-	-	-
	Total organic carbon	mg/L		0	-	-	-	-	-	-
11	TSS	mg/L	Special Frequency	0	-	-	-	-	-	-
	Conductivity	µS/cm		0	-	-	-	-	-	-



## SUNNYSIDE COAL MINE – MONTHLY MONITORING SUMMARY

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date(s) Sampled	Date Obtained	Min Value	Mean Value	Median Value	Max Value
	Oil & Grease	mg/L	2**	0	-	-	-	-	-	-
	pH	pH		0	-	-	-	-	-	-
	Total organic carbon	mg/L		0	-	-	-	-	-	-
12	TSS	mg/L	Special Frequency 2**	0	-	-	-	-	-	-
	Conductivity	µS/cm		0	-	-	-	-	-	-
	Oil & Grease	mg/L		0	-	-	-	-	-	-
	pH	pH		0	-	-	-	-	-	-
	Total organic carbon	mg/L		0	-	-	-	-	-	-

\* Special Frequency 1 means the collection of samples as soon as practicable after each discharge commences and in any case not more than 12 hours after each discharge commences.

\*\* Special Frequency 2 means collection of samples quarterly (in the event of flow during the quarter) at a time when there is flow and as soon as practicable after each wet weather discharge from points 9 and 10 commences and in any case not more than 12 hours after each discharge commences.

**Table 2 - Pollutant Limits Apply**

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date Obtained	Min Value	Max Value	100%ile Limit	Exceedance (Yes/No)	Comments
9	TSS	mg/L	Special Frequency 1*	0	-	-	-	-	50	-	No discharge
	Oil & Grease	mg/L		0	-	-	-	-	10	-	No discharge
	pH	pH		0	-	-	-	-	6.5-8.5	-	No discharge
10	TSS	mg/L	Special Frequency 1*	0	-	-	-	-	50	-	No discharge
	Oil & Grease	mg/L		0	-	-	-	-	10	-	No discharge
	pH	pH		0	-	-	-	-	6.5-8.5	-	No discharge



## SUNNYSIDE COAL MINE – MONTHLY MONITORING SUMMARY

**Table 3 – Monitoring (Noise – Limits Apply)**

EPL ID	Date	Start Time	Measurement Period	Measured Levels – dB(A)	Measured Levels – dB(A)	Limit	Wind speed/ direction	Compliant (Yes/No)	Comments
				L <sub>eq</sub> 15min Day	L <sub>eq</sub> 15min Evening				
R2	-	-	-	-	-	35 dB(A) Leq (15 min)	-	-	No monitoring
R4	-	-	90min	-		35 dB(A) Leq (15 min)	-	-	No monitoring
		-	30min		-		-	No monitoring	
	-	-	90min	-			-	-	No monitoring
		-	30min		-		-	No monitoring	
	-	-	90min	-			-	-	No monitoring
		-	30min		-		-	No monitoring	
R5	-	-	90min	-		35 dB(A) Leq (15 min)	-	-	No monitoring
		-	30min		-		-	No monitoring	
	-	-	90min	-			-	-	No monitoring
		-	30min		-		-	No monitoring	
	-	-	90min	-			-	-	No monitoring
		-	30min		-		-	No monitoring	
R6	-	-	90min	-		35 dB(A) Leq (15 min)	-	-	No monitoring
		-	30min		-		-	No monitoring	
	-	-	90min	-			-	-	No monitoring
		-	30min		-		-	No monitoring	
	-	-	90min	-			-	-	No monitoring
		-	30min		-		-	No monitoring	

Note Sunnyside mine does not operate during night hours, hence no measurements are taken



## SUNNYSIDE COAL MINE – MONTHLY MONITORING SUMMARY

**Table 4 – Monitoring (Blasts – Limits Apply)**

Location	Parameter	Units of Measure	Frequency	No. of Blasts for the Month	Average Value	Max Value	100%ile Limit	(Potential) Non-compliance /breach
R1	Blast Noise	dB (Lin Peak)	Every Blast	0	-	-	120	No
	Blast Vibration	mm/s			-	-	10	No
R2	Blast Noise	dB (Lin Peak)	Every Blast	0	-	-	120	No
	Blast Vibration	mm/s			-	-	10	No
R4	Blast Noise	dB (Lin Peak)	Every Blast	0	-	-	120	No
	Blast Vibration	mm/s			-	-	10	No
R6	Blast Noise	dB (Lin Peak)	Every Blast	0	-	-	120	No
	Blast Vibration	mm/s			-	-	10	No

DNT – Indicates the blast did not trigger a result at the monitor.

**SUNNYSIDE COAL MINE – MONTHLY MONITORING SUMMARY**

Figure 1 – EPL 12957 Monitoring Locations

